



The Chemical Company

Material Safety Data Sheet

MSDS Code: 790-410

PRO-LINE PL-33A LEAD FREE YELLOW, MEDIUM

Revision date: 10/24/06

Date Printed: 07/11/07

NFPA Classification:

Health: 1

Flammability: 0

Instability: 0

Special Hazards:

HMIS Classification:

Health: 2 *

Flammability: 0

Physical Hazard: 0

Personal Protection:

* Indicates possible chronic health effects.

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Common Name: Universal Dispersion Of C.I. Pigment Yellow 65 And C.I. Pigment Yellow 74

Chemical Name: Universal Dispersion Of C.I. Pigment Yellow 65 And C.I. Pigment Yellow 74

Formula: CHEMICAL MIXTURE (C.I. 11740 and C.I. 11741)

Product Use: Industrial pigment.

Supplier: BASF Corporation
100 Campus Drive
Florham Park, NJ 07932

For Chemical Emergency Call:
BASF Hotline: 1-800-832-HELP
CHEMTREC (24 hours):
1-800-424-9300 (US, Canada, Puerto Rico, Virgin Islands)
1-703-527-3887 (Outside Above Area)

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient CAS Number	Weight in Percent (%)	Notes
Diethylene Glycol 111-46-6	20-30	None.
CI Pigment White 26	20-30	None.
Water 7732-18-5	20-30	None.
CI Pigment Yellow 65 6528-34-3	5-15	None.
CI Pigment Yellow 74 6358-31-2	5-15	None.
Surfactant(s)	1-10	None.

Other Information:

NOTE: The percentage by weight values reported for this product represent approximate formulation values.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Color: Yellow
Form: Liquid
Odor: Odorless
Flash Point, °C: Nonflammable

Most Important Hazards: May irritate eyes. May cause eye burns. Prolonged or repeated exposure effects: May cause skin irritation. Chronic Overexposure Effects: Gastrointestinal system disorders. Central nervous system damage. May cause kidney damage. May result in dizziness and drowsiness. May be fatal or cause blindness if swallowed.

Potential Health Effects:

Inhalation: Exposure to vapors or mists, generated at higher temperatures, may cause drowsiness and headache.

Ingestion: May cause tissue damage. May cause central nervous system effects. May cause liver and kidney damage. May be fatal or cause blindness if swallowed.

Skin Contact: Prolonged or repeated contact may cause skin irritation.

Eye Contact: Causes eye irritation. May cause eye burns.

Other Effects: NOTE: Excessive ingestion and/or inhalation of GLYCOL COMPOUNDS has caused fetal effects in laboratory animals. NOTE: Inhalation of vapor and/or mist may be significant if material is heated or agitated/sprayed.

Carcinogenicity:

Ingredient CAS Number	Weight in Percent (%)	NTP (Y/N)	IARC (See Notes)	OSHA (Y/N)	ACGIH (See Notes)
Diethylene Glycol 111-46-6	20-30	N	N	N	N
CI Pigment White 26	20-30	N	N3	N	A4
Water 7732-18-5	20-30	N	N	N	N
CI Pigment Yellow 65 6528-34-3	5-15	N	N	N	N
CI Pigment Yellow 74 6358-31-2	5-15	N	N	N	N
Surfactant(s)	1-10	N	N	N	N

Notes:

IARC: Y1=Carcinogenic to humans; Y2A=Probably carcinogenic to humans; Y2B=Possibly carcinogenic to humans; N3=Not classifiable as to its carcinogenicity; N=Not studied or probably not carcinogenic.

ACGIH: A1=Confirmed human carcinogen; A2=Suspected human carcinogen; A3=Confirmed animal carcinogen; A4=Not classifiable as a human carcinogen; A5=Not suspected as a human carcinogen; N=Not studied.

Chronic Health Hazards:

Refer to Potential Health Effects.

Aggravated Medical Conditions: Kidney disorders. Liver disorders. Neurological ailments.

4. FIRST AID MEASURES

Inhalation: Move person to fresh air. Aid in breathing, if necessary, and get immediate medical attention.

Ingestion: Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration.

Skin Contact: Flush skin with large amounts of water. If irritation persists, get medical attention.

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

5. FIRE FIGHTING MEASURES

Flash Point, °C: Nonflammable
Autoignition Temperature, °C: Not Determined
Lower Explosive Limit, %: Not Determined
Upper Explosive Limit, %: Not Determined

Extinguishing Media: Water. Carbon dioxide. Foam.

Fire Fighting Procedures: Positive pressure, self-contained breathing apparatus. Wear full protective clothing.

Unusual Fire and Explosion Hazards: Not a fire or explosion hazard. Toxic vapors are emitted in a fire condition.

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Contain spillage. Neutralize with sodium bicarbonate, soda ash or lime. Soak up spill using an absorbent. Scoop into a suitable container.

7. HANDLING AND STORAGE

- Keep container closed.
- Keep from freezing.
- Wash thoroughly after handling.
- Avoid breathing mist.
- Avoid contact with eyes, skin and clothing.
- Use only with adequate ventilation.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredient CAS Number	Weight in Percent (%)	OSHA PEL	ACGIH TLV
Diethylene Glycol 111-46-6	20-30	None Established	None Established
CI Pigment White 26	20-30	2 mg/m ³ (Containing no asbestos fibers, respirable dust)	2 mg/m ³ (Containing no asbestos fibers, respirable dust)
Water 7732-18-5	20-30	None Established	None Established
CI Pigment Yellow 65 6528-34-3	5-15	None Established	None Established
CI Pigment Yellow 74 6358-31-2	5-15	None Established	None Established
Surfactant(s)	1-10	None Established	None Established

Unless otherwise noted, all values are reported as 8-hour Time-Weighted Averages (TWAs) and total dust (particulates only). All ACGIH TLVs refer to the 2006 standards. Unless otherwise noted, all OSHA PELs refer to 29 CFR Part 1910 Air Contaminants: Final Rule, June 30, 1993.

PEL TLV Notes: NOTE: Ingredient(s) are in a liquid phase. Not all exposure values may be applicable. Not expected to present an inhalation hazard.

Personal Protective Equipment: Safety glasses with side shields. Rubber or neoprene gloves.

Respiratory Protection: Use approved respiratory protection if exposure limits are exceeded, or overexposure is likely.

Ventilation: General ventilation. Local exhaust ventilation is recommended to control exposures to within applicable limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid
Color: Yellow

Odor: Odorless

Vapor Pressure: **Max:** 17.5mm Hg (20 °C)

Specific Gravity: **Min:** 1 **Max:** 2

Evaporation Rate: Much < 1

Solubility (in water): Dispersible

pH: **Min:** 8 **Max:** 10

10. STABILITY AND REACTIVITY

Stability Data: Stable

Conditions/Hazards to Avoid: None anticipated

Incompatibility (Materials to Avoid): None anticipated.

Hazardous Decomposition Products: Oxides of carbon.

Polymerization: None anticipated.

Polymerization - Avoid: None anticipated.

11. TOXICOLOGICAL INFORMATION

Information on Product:

Information on Components:

Ingredient CAS Number	Weight in Percent (%)	Acute Toxicity - Oral	Acute Toxicity - Inhalation	Acute Toxicity - Dermal	Acute Toxicity - Other
Diethylene Glycol 111-46-6	20-30	21,000 mg (rat)	Not Available	Not Available	Not Available
CI Pigment White 26	20-30	Not Available	Not Available	Not Available	Not Available
Water 7732-18-5	20-30	Not Available	Not Available	Not Available	Not Available
CI Pigment Yellow 65 6528-34-3	5-15	> 5,000 mg/kg (rat)	Not Available	Not Available	Not Available
CI Pigment Yellow 74 6358-31-2	5-15	> 5,000 mg/kg (rat)	Not Available	Not Available	Not Available
Surfactant(s)	1-10	Not Available	Not Available	Not Available	Not Available

12. ECOLOGICAL INFORMATION

Information on Product:

Environmental Fate: No data available.

Ecotoxicological Information: No data available.

13. DISPOSAL CONSIDERATIONS

US EPA Waste Number: Not Regulated

Disposal of Waste Method: Local disposal laws and regulations will determine the proper waste disposal/recycling/reclamation procedure. Disposal requirements are dependent on the hazard classification and will vary by location and the type of disposal selected. All waste materials should be reviewed to determine the applicable hazards (testing may be necessary).

14. TRANSPORT INFORMATION

International Transport Regulations:

ICAO Class: Not Regulated

IMO Class: Not Regulated

US Transportation Regulations:

DOT Classification: Not Regulated

Canadian Transportation of Dangerous Goods (TDG):

TDG Classification: Not Regulated

15. REGULATORY INFORMATION

International Inventories:

United States: This product or its ingredients are listed on or compliant with the TSCA Inventory.
Canada: Not Determined
Europe: Not Determined
Japan: Not Determined
Australia: Not Determined
Korea: Not Determined
Philippines: Not Determined
China: Not Determined

US Federal Regulations:

Ingredient CAS Number	Weight in Percent (%)	Subject to SARA 313 Reporting
Diethylene Glycol 111-46-6	20-30	No
CI Pigment White 26	20-30	No
Water 7732-18-5	20-30	No
CI Pigment Yellow 65 6528-34-3	5-15	No
CI Pigment Yellow 74 6358-31-2	5-15	No
Surfactant(s)	1-10	No

SARA 311/ 312 Hazard Categories:

Acute Health Hazard Chronic Health Hazard

CAA 602 Ozone Depleting Substances (ODS):

This product neither contains nor is manufactured with an ozone depleting substance subject to the labeling requirements of the Clean Air Act Amendments 1990 and 40 CFR Part 82.

VOC Content: 368g/L

US State Regulations:

VOC Content (CARB): 500g/L

Canadian Regulations:

WHMIS Classification:

Not Determined

16. OTHER INFORMATION

Revision number: 9

Section(s) Revised in this Version: Section 1: Chemical Product and Company Identification
Section 16: Other Information

Prepared By: Corporate Environmental Health & Safety Group

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET